

CSH600

Evidence-Based Clinical Practice

[View Online](#)

Abdollahi, H., Mahdavi, S. R., Mostafaei, S., Mofid, B., Razzaghdoust, A., Saadipoor, A., Bakhshandeh, M., & Teimourian, S. (2018). Magnetic resonance image markers to improve patient-specific prediction of IMRT-induced rectal toxicity in prostate cancer patients. *Medical Physics*. <https://doi.org/10.1002/mp.13166>

An introduction to patient decision aids. (n.d.). *Drug and Therapeutics Bulletin*, 50(8). <https://www.proquest.com/docview/1780549365/fulltextPDF/FBE6B18C28814B7BPQ/1?accountid=13380>

Bobrow, B. J., Spaite, D. W., Berg, R. A., Stolz, U., Sanders, A. B., Kern, K. B., Vadeboncoeur, T. F., Clark, L. L., Gallagher, J. V., Stapczynski, J. S., LoVecchio, F., Mullins, T. J., Humble, W. O., & Ewy, G. A. (2010). Chest Compression-Only CPR by Lay Rescuers and Survival From Out-of-Hospital Cardiac Arrest. *JAMA*, 304(13). <https://doi.org/10.1001/jama.2010.1392>

Clancy, M J. (n.d.). Overview of research designs. *Emergency Medicine Journal : EMJ*, 19(6). <https://www.proquest.com/docview/1780129778/fulltextPDF/8BD0A362570C442FPQ/1?accountid=13380>

Cronin, P, Ryan, F, & Coughlan, M. (2008). Undertaking a literature review : a step-by-step approach. *British Journal of Nursing*, 17(1), 38–43. <https://doi.org/10.12968/bjon.2008.17.1.28059>

Duane, T. M., Mayglothling, J., Wilson, S. P., Wolfe, L. G., Aboutanos, M. B., Whelan, J. F., Malhotra, A. K., & Ivatury, R. R. (2011). National Emergency X-Radiography Utilization Study Criteria Is Inadequate to Rule Out Fracture After Significant Blunt Trauma Compared With Computed Tomography. *The Journal of Trauma: Injury, Infection, and Critical Care*, 70(4), 829–831. <https://doi.org/10.1097/TA.0b013e31820ea6b3>

Duffy, M. E. (2005). Systematic reviews: Their role and contribution to evidence-based practice. *Clinical Nurse Specialist*, 19(1), 15–17. <https://doi.org/10.1097/00002800-200501000-00005>

Evidence-Based Practice Across Health Professions. (n.d.-a). Elsevier. <https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-b). Elsevier. <https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-c). Elsevier. <https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-d). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-e). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-f). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-g). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-h). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-i). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-j). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Evidence-Based Practice Across Health Professions. (n.d.-k). Elsevier.
<https://www.clinicalkey.com.au/nursing/dura/browse/bookChapter/3-s2.0-C20160032369>

Glasziou, P. (2004). Assessing the quality of research. *BMJ*, 328(7430), 39–41.
<https://doi.org/10.1136/bmj.328.7430.39>

Goodacre, S. (2008). Critical appraisal for emergency medicine 2 : statistics. *Emergency Medicine Journal*, 25(6), 362–364. <http://emj.bmj.com/content/25/6/362.full.pdf+html>

Grimes, David A Schulz, Kenneth F. (n.d.-a). Bias and causal associations in observational research. *The Lancet*, 359(9302), 248–252.
<https://www.proquest.com/docview/198996980?accountid=13380>

Grimes, David A Schulz, Kenneth F. (n.d.-b). Bias and causal associations in observational research. *The Lancet*, 359(9302), 248–252.
<https://www.proquest.com/docview/198996980?accountid=13380>

Guyatt, G. H., Oxman, A. D., Kunz, R., Falck-Ytter, Y., Vist, G. E., Liberati, A., & Schünemann, H. J. (2008). Going from evidence to recommendations. *BMJ*, 336(7652), 1049–1051. <https://doi.org/10.1136/bmj.39493.646875.AE>

Guyatt, G. H., Oxman, A. D., Kunz, R., Vist, G. E., Falck-Ytter, Y., & Schünemann, H. J. (2008). What is "quality of evidence" and why is it important to clinicians? *BMJ*, 336(7651), 995–998. <https://doi.org/10.1136/bmj.39490.551019.BE>

Herbert, Robert D. et al. (2001). Evidence-based practice - imperfect but necessary. *Physiotherapy Theory and Practice*, 17(3), 201–211.
<https://search.ebscohost.com/login.aspx?direct=true&AuthType=sso&custid=qu&db=afh&AN=5400739&site=ehost-live&scope=site>

Hoo, Z. H., Candlish, J., & Teare, D. (2017). What is an ROC curve? *Emergency Medicine*

Journal, 34(6), 357–359. <https://doi.org/10.1136/emermed-2017-206735>

Ian C Roberts-Thomson. (2008). Single-center study comparing computed tomography colonography with conventional colonoscopy. *World Journal of Gastroenterology : WJG*, 14(3). <https://doi.org/doi:10.3748/wjg.14.469>

Jacobs, I. G., Finn, J. C., Jelinek, G. A., Ozer, H. F., & Thompson, P. L. (2011). Effect of adrenaline on survival in out-of-hospital cardiac arrest: A randomised double-blind placebo-controlled trial. *Resuscitation*, 82(9), 1138–1143. <https://doi.org/10.1016/j.resuscitation.2011.06.029>

Lousbergh, D. (1999). Diagnosing dermatomycosis in general practice. *Family Practice*, 16(6), 611–615. <https://doi.org/10.1093/fampra/16.6.611>

Melnyk, B. M. (2003). Finding and appraising systematic reviews of clinical interventions : critical skills for evidence-based practice. *Pediatric Nursing*, 29(2), 147–149. <https://www.proquest.com/docview/199437916/fulltextPDF/13EB52119738902D01/12?accountid=13380>

Melynck, B. M. & Fineout-Overholt, E. (2002). Key steps in implementing evidence-based practice : asking compelling, searchable questions and searching for the best evidence. *Pediatric Nursing*, 28(3), 262–266. <https://www.proquest.com/docview/199523550/fulltextPDF/13EB51E190139DA3F5A/12?accountid=13380>

Module 1: Introduction to conducting systematic reviews | Cochrane Training. (n.d.). <http://training.cochrane.org/interactivelearning/module-1-introduction-conducting-systematic-reviews>

Murad, M. H., Katabi, A., Benkhadra, R., & Montori, V. M. (2018). External validity, generalisability, applicability and directness: a brief primer. *BMJ Evidence-Based Medicine*, 23(1), 17–19. <https://doi.org/10.1136/ebmed-2017-110800>

Naftali, T., Mechulam, R., Marii, A., Gabay, G., Stein, A., Bronshtain, M., Laish, I., Benjaminov, F., & Konikoff, F. M. (2017). Low-Dose Cannabidiol Is Safe but Not Effective in the Treatment for Crohn's Disease, a Randomized Controlled Trial. *Digestive Diseases and Sciences*, 62(6), 1615–1620. <https://doi.org/10.1007/s10620-017-4540-z>

Nunan, D., Aronson, J., & Bankhead, C. (2018). Catalogue of bias: attrition bias. *BMJ Evidence-Based Medicine*, 23(1), 21–22. <https://doi.org/10.1136/ebmed-2017-110883>

Perbeck L, et al. Can contrast enhanced MR imaging predict survival in breast cancer? (n.d.). <https://www.tandfonline.com/doi/pdf/10.1080/j.1600-0455.2003.00080.x>

Saverno, K. R., Hines, L. E., Warholak, T. L., Grizzle, A. J., Babits, L., Clark, C., Taylor, A. M., & Malone, D. C. (2011). Ability of pharmacy clinical decision-support software to alert users about clinically important drug—drug interactions. *Journal of the American Medical Informatics Association*, 18(1), 32–37. <https://doi.org/10.1136/jamia.2010.007609>

Schulz, K. F., & Grimes, D. A. (2002a). Allocation concealment in randomised trials: defending against deciphering. *The Lancet*, 359(9306), 614–618. [https://doi.org/10.1016/S0140-6736\(02\)07750-4](https://doi.org/10.1016/S0140-6736(02)07750-4)

Schulz, K. F., & Grimes, D. A. (2002b). Blinding in randomised trials: hiding who got what. *The Lancet*, 359(9307), 696–700. [https://doi.org/10.1016/S0140-6736\(02\)07816-9](https://doi.org/10.1016/S0140-6736(02)07816-9)

Schulz, K. F., & Grimes, D. A. (2002c). Generation of allocation sequences in randomised trials: chance, not choice. *The Lancet*, 359(9305), 515–519. [https://doi.org/10.1016/S0140-6736\(02\)07683-3](https://doi.org/10.1016/S0140-6736(02)07683-3)

Schulz, K. F., & Grimes, D. A. (2002d). Sample size slippages in randomised trials: exclusions and the lost and wayward. *The Lancet*, 359(9308), 781–785. [https://doi.org/10.1016/S0140-6736\(02\)07882-0](https://doi.org/10.1016/S0140-6736(02)07882-0)

Serpell, M., Ratcliffe, S., Hovorka, J., Schofield, M., Taylor, L., Lauder, H., & Ehler, E. (2014). A double-blind, randomized, placebo-controlled, parallel group study of THC/CBD spray in peripheral neuropathic pain treatment. *European Journal of Pain*, 18(7), 999–1012. <https://doi.org/10.1002/j.1532-2149.2013.00445.x>

Understanding screening tests. (n.d.). <https://understandinguncertainty.org/files/animations/BayesTheorem1/BayesTheorem.html>

Vanderwee, K., Grypdonck, M., Bacquer, D. D., & Defloor, T. (2009). The identification of older nursing home residents vulnerable for deterioration of grade 1 pressure ulcers. *Journal of Clinical Nursing*, 18(21), 3050–3058. <https://doi.org/10.1111/j.1365-2702.2009.02860.x>

Victor M. Montori. (2001). Intention-to-treat principle. *CMAJ: Canadian Medical Association Journal*, 165(10). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC81628/>

Winkley, K., Stahl, D., Chalder, T., Edmonds, M. E., & Ismail, K. (2007). Risk factors associated with adverse outcomes in a population-based prospective cohort study of people with their first diabetic foot ulcer. *Journal of Diabetes and Its Complications*, 21(6), 341–349. <https://doi.org/10.1016/j.jdiacomp.2007.09.004>

Woolf, Steven H. et al. (1999). Potential benefits, limitation, and harms of clinical guidelines. *BMJ : British Medical Journal*, 318(7182), 527–530. <https://www.proquest.com/docview/204023601/fulltextPDF/13EB5130D022705958/39?accountid=13380>